

**Work Order ID 70262**

Thursday, June 02, 2011 9:51:56 AM



Page 1

Item ID: D212-664-101TRN

Accept



Setup Start



Revision ID:

Stop



Item Name: Crosstube Turning Detail

Start Date: 6/2/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 6/10/2011 Req'd Qty: 1.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

Draw Nbr

Revision Nbr

D212-664-141

Rev D

100

0.00



MORI SEIKI CNC LATHE LARGE

Mori Seiki

Memo

0.00

Mori Seiki CNC Lathe Large

1-Fill tube with sand &amp; install plugs DT8534 on both ends as per Folio FA113

2-Turn first side as per Folio FA113

3-Blend transition lines only, \*\*do not sand whole tube\*\*:

\*Use mill bastard file, brush file repeatedly with file card.

\*Do not use sandpaper coarser than 320 grit.

4/06/17

110

0.00



QC1- Inspect dimensions to dimension sheet

QC

Memo

0.00

Quality Control

4/06/21

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

# Work Order ID 70262

Thursday, June 02, 2011 9:51:56 AM



Page 2

Item ID: D212-664-101TRN

Accept



Setup Start



Revision ID:

Stop



Item Name: Crosstube Turning Detail

Start Date: 6/2/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 6/10/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID Tool # Plan Code Accept Qty Reject Qty Reject Number Insp. Stamp

120

0.00



MORI SEIKI CNC LATHE LARGE

Mori Seiki

Memo

0.00

Mori Seiki CNC Lathe Large

1-Turn second side as per Folio FA113

2-Blend transition lines only, \*\*do not sand whole tube\*\*:

\*Use mill bastard file, brush file repeatedly with file card.

\*Do not use sandpaper coarser than 320 grit.

3-Remove sand and plugs

*MMIL 11/06/17*

130

QC1- Inspect dimensions to dimension sheet

0.00



QC

Memo

0.00

Quality Control

*SL 11/06/21*

*1/0*

140

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

*SL 11/06/21*

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

# Work Order ID 70262

Thursday, June 02, 2011 9:51:56 AM



Page 3

Item ID: D212-664-101TRN

Revision ID:

Item Name: Crosstube Turning Detail

Start Date: 6/2/2011 Start Qty: 1.00

Required Date: 6/10/2011 Req'd Qty: 1.00

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_

QC: \_\_\_\_\_ Date: \_\_\_\_\_

Accept



Setup Start



Stop



Cust Item ID:

Customer:

Run Start



Stop



Tooling:

Date:

SPC (Y/N):

Date:

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

150

Crosstubes Chemical Conversion

0.00

*DP*

11-6-21

HandFXtube

Memo

0.00

Hand Finishing Crosstubes

160

QC3- Inspect Part Finish

0.00

BB 11/06/22

QC

Memo

0.00

Quality Control

170

Packaging

0.00

*DP*

11-6-22

Packaging

Memo

0.00

Packaging

Identify and Stock in kanban rack  
Location: 46

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                                |                                 |                |                           |                       |                          |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action<br>Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng           | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                                |                                 |                |                           |                       |                          |
|      |      |                                  |                                |                                 |                |                           |                       |                          |
|      |      |                                  |                                |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

# Work Order ID 70262

Thursday, June 02, 2011 9:51:56 AM



Page 4

Item ID: D212-664-101TRN

Accept



Setup Start



Revision ID:

Stop



Item Name: Crosstube Turning Detail

Start Date: 6/2/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 6/10/2011 Req'd Qty: 1.00



Customer:

Reference:

Run Start



Approvals: Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

180

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/6/22

MF

11-06-22

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries



# Picklist Print

Thursday, June 02, 2011 9:51:54 AM

Page 1

Work Order ID: 70262

Parent Item: D212-664-101TRN

Parent Item Name: Crosstube Turning Detail



Start Date: 6/2/2011

Required Date: 6/10/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 08-03-06 new issue DD verified by:ec  
IPP Rev B 08.04.02 removed Polish EC verified by: DD

| Component Item ID/<br>Item Name | Replacement<br>Item ID | Mfg/<br>Purch | Bin<br>Item | Primary<br>Location | Last<br>Location | Route<br>Seq ID | Unit of<br>Measure | Qty on<br>Hand | Qty per Kit | Total<br>Qty | Qty<br>Issued | Date<br>Issued | Status |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|

D6005-128

Manufactured No

120

Each

0.0000

1

1



Crosstube Material

OK  
D6005-128  
u

B59307

1 mm.L 11/06/16

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

|   |                                  |
|---|----------------------------------|
| <b>DART AEROSPACE LTD</b>                                     | <b>Work Order:</b> 70262         |
| <b>Description:</b> Crosstube Assembly (205/212/412 High Fwd) | <b>Part Number:</b> D212-664-141 |
| <b>Inspection Dwg:</b> D212-664-141 Rev: D                    | <b>Page 1 of 1</b>               |

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

| Inspection Sheet<br>Drawing Dimension | Tolerance | Actual<br>Dimension | Accept  | Reject | Method of<br>Inspection | Comments |
|---------------------------------------|-----------|---------------------|---------|--------|-------------------------|----------|
| SIDE A                                | 0.200     | +/-0.010            | 2.00    | ✓      | vern                    | JF-01    |
|                                       | R0.063    | +/-0.010            | .063    | ✓      | RG                      |          |
|                                       | 2.740     | +0.005/-0.000       | 2.745   | ✓      | mirc                    | CNC-04   |
|                                       | 5.097     | +/-0.030            | 5.097   | ✓      | vern                    | JF-01    |
|                                       | 2.304     | +0.005/-0.000       | 2.309   | ✓      | mirc                    | CNC-04   |
|                                       | 2.340     | +0.005/-0.000       | 2.345   | ✓      | ll                      |          |
|                                       | 2.398     | +0.005/-0.000       | 2.403   | ✓      | ll                      |          |
|                                       | 2.448     | +0.005/-0.000       | 2.453   | ✓      | ll                      |          |
|                                       | 2.498     | +0.005/-0.000       | 2.502   | ✓      | ll                      |          |
|                                       | 2.549     | +0.005/-0.000       | 2.554   | ✓      | ll                      |          |
|                                       | 2.599     | +0.005/-0.000       | 2.604   | ✓      | ll                      |          |
|                                       | 2.671     | +0.005/-0.000       | 2.676   | ✓      | ll                      |          |
|                                       | 2.701     | +0.005/-0.000       | 2.706   | ✓      | ll                      |          |
|                                       |           |                     |         |        |                         |          |
| SIDE B                                | 0.200     | +/-0.010            | 2.05    | ✓      | vern                    | JF-01    |
|                                       | R0.063    | +/-0.010            | .063    | ✓      | RG                      |          |
|                                       | 2.740     | +0.005/-0.000       | 2.744   | ✓      | mirc                    | CNC-04   |
|                                       | 5.097     | +/-0.030            | 5.097   | ✓      | vern                    | JF-01    |
|                                       | 2.304     | +0.005/-0.000       | 2.309   | ✓      | mirc                    | CNC-04   |
|                                       | 2.340     | +0.005/-0.000       | 2.345   | ✓      | ll                      |          |
|                                       | 2.398     | +0.005/-0.000       | 2.403   | ✓      | ll                      |          |
|                                       | 2.448     | +0.005/-0.000       | 2.453   | ✓      | ll                      |          |
|                                       | 2.498     | +0.005/-0.000       | 2.503   | ✓      | ll                      |          |
|                                       | 2.549     | +0.005/-0.000       | 2.554   | ✓      | ll                      |          |
|                                       | 2.599     | +0.005/-0.000       | 2.604   | ✓      | ll                      |          |
|                                       | 2.671     | +0.005/-0.000       | 2.676   | ✓      | ll                      |          |
|                                       | 2.701     | +0.005/-0.000       | 2.706   | ✓      | ll                      |          |
|                                       | 126.514   | +/-0.020            | 126.514 | ✓      | tape                    | mm, L-02 |

|                              |                       |                            |     |
|------------------------------|-----------------------|----------------------------|-----|
| <b>Measured by:</b> mm, L-02 | <b>Audited by:</b> SL | <b>Prototype Approval:</b> | N/A |
| <b>Date:</b> 11/06/16        | <b>Date:</b> 11/06/21 | <b>Date:</b>               | N/A |

| Rev | Date     | Change  | Revised by | Approved |
|-----|----------|---|------------|----------|
| A   | 05.04.27 | New Issue (P/O D412-664-101)                    | KJ/JLM     |          |
| B   | 06.03.15 | Tolerance revised for 5.097 per Dwg Rev update. | KJ/JLM     |          |
| C   | 07.05.28 | Dwg Rev updated                                 | KJ/JLM     |          |
| D   | 10.02.02 | Dimension 126.514 was 126.51                    | KJ         |          |

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

NOTE: Date & initial all entries

8 7 6 5 4 3 2 1



| Item | Qty<br>-141 | Qty<br>-141B | Part Number    | Description   |
|------|-------------|--------------|----------------|---|
| 1    | X           |              | D212-664-141   | CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD)   |
| 2    |             | X            | D212-664-141B  | CROSSTUBE ASSEMBLY (214 HIGH FWD)   |
| 3    | 1           | 1            | D6005-128      | CROSSTUBE   |
| 4    | 2           | 2            | D2893-1        | SUPPORT   |
| 5    | 4           | 4            | D3595-063-450  | RUBBER CUSHION  |
| 6    | 4           | 4            | MS21920-25     | CLAMP (OR MS21920-26)   |
| 7    | A/R         | A/R          | MAGNOBOND 6398 | ROCKWELL SPECIFICATION RBO-120-023<br>ADHESIVE (TEXTRON/BELL SPEC. 299-947-100,<br>TYPE II, CLASS 2 ADHESIVE) |

#### GENERAL NOTES:

- 1) MATERIAL: MANUFACTURED FROM D6005-128  
FINISHED LENGTH = 126.514±0.020
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2  
PAINT OUTSIDE PER DART QSI 005 4.2
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- 6) IDENTIFICATION: SCRIBE DART PART NUMBER "D212-664-XXX" AND BATCH NUMBER ON INSIDE OF CUFF  
USING VIBRATING STYLUS
- 7) WEIGHT: D212-664-141 = 33.6 lbs (PER IIN-D212-664)  
D212-664-141B = 33.6 lbs (PER IIN-D212-664)
- 8) PART IS SYMMETRIC ABOUT CENTERLINE
- 9) RUN CUTTER OFF PART. BLEND OUT EDGE LONGITUDINALLY, TRANSITION SHOULD BE SMOOTH.
- 10) BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS  
6% BASED ON O.D.
- 11) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 12) INSTALL D2893-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF  
D2893-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE PER QSI 015. LET CURE FOR 12 HOURS AFTER  
INSTALLATION AND PRIOR TO PACKAGING.
- 13) INSTALL MS21920-25 CLAMPS (OR -26) WITH D3595-063-450 RUBBER CUSHIONS TO SECURE THE D2893-1  
SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE OF CROSSTUBE  
SUPPORT.
- 14) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE  
SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR  
DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND  
MARKS ARE UNACCEPTABLE.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT  
HAS NOT BOTTOMED-OUT AFTER TORQUING.

DEO ATTACHED

RELEASED  
2009-10-29

*Handwritten:* 2016 70262

|      |  |    |          |
|------|--|----|----------|
| D    | REFORMAT/REVISE GENERAL NOTES/PART LIST;<br>REORGANIZED VIEWS AND REFORMATTED DRAWING<br>TO CURRENT STANDARDS; ADD -141B (ZN B4-2, D4-2);<br>REMOVED REF & ADD TOLERANCES (ZN B4-3, C6-3, C8-3<br>& B6-3); RELOCATED FLAG #6 PER PAR 08-046 (ZN A5-3);<br>MOVED TURNING DETAIL & UPDATED TOLERANCE TO<br>SHEET 4 | RF | 09.09.30 |
| C    | REMOVE .851 ABRASION STRIP; ADD MAGNOBOND<br>6398, CUSHION, REVERSE CLAMPS   | PH | 07.03.08 |
| B    | ADD HOLES FOR COMPATABILITY WITH BHT/AA<br>SKIDTUBES   | PH | 05.02.04 |
| A    | NEW ISSUE  | PH | 00.12.12 |
| REV. | DESCRIPTION  | BY | DATE     |

|            |          |  |              |
|------------|----------|--|--------------|
| DESIGN     | RF       | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA   |              |
| DRAWN      | RF       |  |              |
| CHECKED    | RF       | DRAWING NO.  | REV. D       |
| MFG. APPR. | RF       | D212-664-141   | SHEET 1 OF 4 |
| APPROVED   | RF       | TITLE  | SCALE        |
| DE APPR.   | RF       | XTUBE ASSY (205/212/412 HI FWD)  | NTS          |
| DATE       | 09.09.30 | COPYRIGHT © 2000 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSES UNLESS SPECIFICALLY AUTHORIZED BY DART AEROSPACE LTD. |              |

8 7 6 5 4 3 2 1

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                                |                                 |                |                           |                       |                          |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action<br>Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng           | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                                |                                 |                |                           |                       |                          |
|      |      |                                  |                                |                                 |                |                           |                       |                          |
|      |      |                                  |                                |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

8 7 6 5 4 3 2 1

D

C

B

A

12 13 15  
D2893-1 SUPPORT  
MS21920-25 CLAMP, 2X  
D3595-063-450 RUBBER CUSHION, 2X  
2 PL

A4-2

A

A

14.00 (-141)  
OR 13.75 (-141B)



D212-664-501  
BENT TUBE

CL  
SYM


**D212-664-141/-141B**  
**ASSEMBLY DETAIL**



DEO ATTACHED

RELEASED  
2009-10-29

70262



**SECTION A-A** D5-2  
SCALE 4X

|            |          |   |              |
|------------|----------|---|--------------|
| DESIGN     | PH       | <b>DART AEROSPACE LTD</b>   |              |
| DRAWN      | RF       | HAWKESBURY, ONTARIO, CANADA   |              |
| CHECKED    | JP       | DRAWING NO.   | REV. D       |
| MFG. APPR. | JS       | D212-664-141  | SHEET 2 OF 4 |
| APPROVED   | JP       | TITLE   | SCALE        |
| DE APPR.   | JP       | XTUBE ASS'Y (205/212/412 HI FWD)  | NTS          |
| DATE       | 09.09.30 | <small>COPYRIGHT © 2009 BY DART AEROSPACE LTD<br/>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS<br/>NOT TO BE LOANED OR REPRODUCED OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br/>WRITTEN AUTHORIZATION FROM DART AEROSPACE LTD.</small> |              |

8 7 6 5 4 3 2 1

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries






**D212-664-501**  
**BENDING AND DRILLING DETAIL**



**VIEW C-C: CUFF DETAIL** C2-3  
SCALE 3X



**SECTION B-B** C4-3  
SCALE 4X

DEO ATTACHED

**RELEASED**  
2009-10-29

|            |          |   |              |
|------------|----------|---|--------------|
| DESIGN     | PH       | <b>DART AEROSPACE LTD</b>   |              |
| DRAWN      | RF       | HAWKESBURY, ONTARIO, CANADA   |              |
| CHECKED    | 98       | DRAWING NO. D212-664-141  | REV. D       |
| MFG. APPR. | 10       |   | SHEET 3 OF 4 |
| APPROVED   | 10       | TITLE   | SCALE        |
| DE APPR.   | 10       | XTUBE ASSY (205/212/412 HI FWD)   | NTS          |
| DATE       | 09.09.30 | <small>COPYRIGHT © 2000 BY DART AEROSPACE LTD<br/>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small> |              |


| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries



| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

|                             |  |               |   |               |                                |                           |              |
|-----------------------------|--|---------------|---|---------------|--------------------------------|---------------------------|--------------|
| DRAWING NO.<br>D212-664-141 | TITLE<br>XTUBE ASSY (205/212/412 HI FWD) | REV. D        | DART AEROSPACE LTD<br>ENGINEERING ORDER |               | D.E.O. NO.<br>D212-664-141-D-1 | SHEET NO.<br>SHEET 1 OF 2 | SCALE<br>NTS |
| DRAWN                       | CHECKED                                  | MFG. APPR.    | APPROVED                                | DE APPR.      |                                |                           |              |
| DATE 11.04.07               | DATE 11.04.11                            | DATE 11.04.12 | DATE 11/04/12                           | DATE 11.04.12 |                                |                           |              |

**PURPOSE:**

ADD AN INSPECTION WINDOW TO UNDERSIDE OF CROSSTUBE.

**CHANGE:**

NOTES 2 OF SHEET 1 IS AMENDED AS FOLLOWS:

**IS:**

- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2  
MASK UNDERSIDE OF CROSSTUBE AS SHOWN (HATCHED AREA) AND  
PAINT OUTSIDE PER DART QSI 005 4.2  
REMOVE MASKING AND APPLY CLEAR COAT

**WAS:**

- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2  
PAINT OUTSIDE PER DART QSI 005 4.2

**RELEASED**  
2011-04-18

70262

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries